




OEM Brass Copper Battery Cable Terminals Connectors For Car

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Melting Point: 1453-1475°C
- Density: 8.9 G/cm3
- Hardness: High
- Formability: Good
- Electrical Conductivity: $\leq 20\%$ IACS
- Corrosion Resistance: Excellent
- Chemical Composition: Cu-Ni
- Elongation: 30-40%
- Heat Treatment: Annealing
- Machinability: Good
- Name: Copper Connector
- Tensile Strength: 400-550 MPa
- Thermal Conductivity: 50-70 W/mK
- Weldability: Good
- Yield Strength: 200-350 MPa



More Images



for more products please visit us on copper-solid.com

Product Description

OEM Brass Copper Battery Cable Terminals Connectors For Car

Other attributes

Place of Origin	Jiangsu, China
Brand Name	jinshunlai
Model Number	PWR
Material	T2
Thickness	3-50mm
Welding	10-200mm
OEM	Accepted
Purity	99.9%
Type	Copper foil connector
copper foil	120*0.2M
Name	High Quality Flexible Laminated Copper Shunt

Packaging & delivery

Package Type:	3000a flexible laminated copper busbar Plastic bags ,blister card ,standard export cartons 
---------------	--

Supply Ability

Supply Ability	1000 Piece/Pieces per Week
----------------	----------------------------

Product details

Product Description

laminated copper foil connector is an excellent electrical conductor, the laminated copper foil connectors are normally used in **new-energy vehicles, switchgear industries, power plants, cathodic protection, bus ducts, transformer, vacuum circuit breaker, resistance welding engineering, electric locomotives and furnaces, etc.**

Detailed Images



Wuxi Jinnuo copper Co.,Ltd

