

ASTM C1100 Pure Annealed Bare Copper Wire Industrial

Basic Information

- Place of Origin:
- Brand Name:
- Jinshunlai

0.1mm-900mm

Certification: IOS AISI, ASTM, GB, EN

china

- Model Number:
- Minimum Order Quantity:
- Price:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1kg Contact Us 5day L/C, T/T , Western Union,D/P
- lity: 90000ton



Product Specification

- Application:
- Color:
- Corrosion Resistance:
- Diameter:
- Size:
- Standard:
- Thickness:
- Color:
- Highlight:
- Red Excellent Customizable Customizable JIS, AISI, ASTM, GB, DIN, EN, JIS, AISI, ASTM, GB, DIN, EN, Etc. Customizable
- Red Yellow

Industrial

C1100 annealed bare copper, ASTM annealed bare copper, c1100 copper Wire



Our Product Introduction

Insulated Magnet Wire Enamelled Copper Wire				
Enameled copper wire	Туре	Q(ZY/XY)-1/200		
	Diameter	0.27mm		
	Standard	IEC60317		
Test Item	Unit	Technical Requirement	Test Result	
Elongation		>=22 %	30%	
spring-back angle		<=47	43	
Flexibility and adhesion	winding test	1D	1	
	Jerk test	No Crack, and No losing adhesion	ok	
Heat shock		0.630mm	ok	
Cut-through resistance		cut-through resistance	2	
Breakdown Voltage	KV	>=2.2 KV	7.6 7.0 6.8 6.2 7.7	
Scratch Resisting(Average)	N	3.25 N	7.98	
Scratch resisting(Min)	N	2.75 N	7.12	

Copper Rod Description

We Sustained A Large Stock Of Copper Rod And Copper Round Bar.


Copper Rod Is A Kind Of Non-Ferrous Metal Processing Rod, Which Has Good Processing Performance And High Electrical Conductivity. Mainly Divided Into Brass Rods (Copper-Zinc Alloy, Less Expensive) And Copper Rods (Higher Copper Content).

Application Range: Air-Conditioning Pipes, Refrigerator Pipes, Oil Pipes, Water Supply Pipes And Various Mechanical Supporting Materials, Automobile Synchronizer Gear Rings, Marine Pumps, Valves, Structural Parts, Friction Accessories, Etc.

Copper Rod Specification

External Diameter:	3mm-800mm,Etc	Length:	500-12000mm Or Customization	
Machining:	Customization	Standard:	ASTM,AISI,JIS,GB, DIN,EN	
Surface Finish	Mill,Polished,Bright,Oiled,Hair Line,Brush,Mirror,Sand Blast,Or As Required.			
Certification:	ISO, DFARS, REACH RoHS	Trade Terms	FOB,CRF,CIF,EXW All Acceptable	
Loading Port	Any Port In China	Delivery Time	7-15 Working Days After The Receipt Of 30% Deposit	
	GB			
Copper	T1,T2,T3,TU1,TU0,TU2,TP1,TP2,TAg0.1,			
	ASTM			
	C10100,C10200,C10300,C10400,C10500,C10700,C10800,C10910,C10920,			
	C10930,C10940,C11000,C11300,C11400,C11500,C11600,C12000,C12200,			
	C12300,C12500,C14200,C14420,C14500,C14510,C14520,C14530,C14700,			
	C15100,C15500,C16200,C16500,C17000,C17200,C17300,C17410,C17450,			
	C17460,C17500,C17510,C18700,C19010,C19025,C19200,C19210,C19400,			
	C19500,C19600,C19700,			
	JIS			
	C1011,C1020,C1100,C1201,C1220,C1221,C1401,C1700,C1720,C1990			

Copper Rod Production Process



We Use High-Quality Raw Materials, And Strictly Control The Production Process To Ensure That All Products Are In Line With International Standards Of Quality Products. We Can Provide Third-Party Quality Inspection Certificates, And We Pay Attention To The Reliability Of Product Quality And The Authenticity Of Test Results.

